

L Number	Hits	Search Text	DB	Time stamp
-	2	5410602.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 11:58
-	1078	generat\$3 with ("common key" or "symmetric key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:00
-	915	(generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:02
-	0	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (generat\$3 near5 ("session key")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:05
-	915	(generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:04
-	0	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and "session key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:06
-	1747	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone" or "mobile equipment" or ME))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:08
-	725	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:09
-	0	((((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))) and "session key") and @ad < "20010405"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:10
-	0	((((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))) and @ad < "20010405") and "session key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:11
-	25	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))) and "session key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:11
-	210	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))) and @ad < "20010405"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/07 12:13
-	162	((generat\$3 with ("common key" or "symmetric key") and ((encrypt\$3 or cipher\$3 or encipher\$3) with "common key" or "symmetric key")) and (wireless or "cell phone" or "mobile phone"))) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:03
-	1	"810754"	EPO	2004/09/08 11:29

-	225	380/255.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:27
-	159	380/255.ccls. and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:27
-	0	(380/255.ccls. and @ad < "20010105") and ((mobile adj switching adj center) or (mobile adj service adj centre) or (main adj switching adj centre) or MSC or (visiting adj center)) with ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:27
-	0	(380/255.ccls. and @ad < "20010105") and ((mobile adj switching adj center) with "symmetric key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:17
-	6	(380/255.ccls. and @ad < "20010105") and (mobile adj switching adj center)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:26
-	0	(380/255.ccls. and @ad < "20010105") and ((mobile adj switching adj center) with "common key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:25
-	198	380/247.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:27
-	147	380/247.ccls. and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:53
-	0	(380/247.ccls. and @ad < "20010105") and ((mobile adj switching adj center) or (mobile adj service adj centre) or (main adj switching adj centre) or MSC or (visiting adj center)) with ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:28
-	0	(380/247.ccls. and @ad < "20010105") and (provider with ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 12:29
-	10	(380/247.ccls. and @ad < "20010105") and (("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:44
-	147	380/247.ccls. and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:45
-	0	(380/247.ccls. and @ad < "20010105") and ("common key" with wireless)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:46
-	0	(380/247.ccls. and @ad < "20010105") and ("common key" with cellular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:46

-	2	(380/247.ccls. and @ad < "20010105") and ("common key" with mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:51
-	0	(380/247.ccls. and @ad < "20010105") and ("common key" with mobilephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:52
-	16	"common key" with wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:01
-	4	("common key" with wireless) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 08:57
-	1	"common key" with "mobile equipment"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:36
-	0	"symmetric key" with "mobile equipment"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:36
-	15	"symmetric key" with "mobile"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:48
-	3	("symmetric key" with "mobile") and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:51
-	10	"symmetric key" with "wireless"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:50
-	0	("symmetric key" with "wireless") and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:49
-	0	"symmetric key" with cellphone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:50
-	9	"symmetric key" with cellular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:51
-	0	("symmetric key" with cellular) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:51
-	0	"symmetric key" with "mobile equipment"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 16:52

-	646	(provid\$3 or send\$3) with ("common key" or "symmetric key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 08:57
-	326	((provid\$3 or send\$3) with ("common key" or "symmetric key")) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:44
-	169	((provid\$3 or send\$3) with ("common key" or "symmetric key")) and @ad < "20010105" and (wireless or \$phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:38
-	0	((("mobile switching center") with (provid\$3 near ("symmetric key" or DES or "common key"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:42
-	4	((terminal) with (provid\$3 near ("symmetric key" or DES or "common key")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:45
-	3	((terminal) with (provid\$3 near ("symmetric key" or DES or "common key")))) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:46
-	23	((terminal) with (send\$3 near ("symmetric key" or DES or "common key")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:53
-	10	((terminal) with (send\$3 near ("symmetric key" or DES or "common key")))) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:54
-	1081	(generat\$3 with ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:55
-	560	((generat\$3 with ("common key" or "symmetric key")) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:21
-	143	((generat\$3 with ("common key" or "symmetric key")) and @ad < "20010105" and ("common key" or "symmetric key") near8 (provid\$3 or send\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:57
-	2	((generat\$3 with ("common key" or "symmetric key")) and @ad < "20010105" and ("common key" or "symmetric key") near8 (provid\$3 or send\$3)) and MSC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 09:59
-	4	((generat\$3 with ("common key" or "symmetric key")) and @ad < "20010105" and ("common key" or "symmetric key") near8 (provid\$3 or send\$3)) and (mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:04
-	19	((generat\$3 with ("common key" or "symmetric key")) and @ad < "20010105" and ("common key" or "symmetric key") near8 (provid\$3 or send\$3)) and (cellular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:20

-	5511	"mobile switching center" and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:04
-	121	("mobile switching center" and @ad < "20010105") and (secure with communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:37
-	37	("mobile switching center" and @ad < "20010105") and (secure adj communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:00
-	11950	380/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:56
-	132	380/\$.ccls. and "mobile switching center"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 10:59
-	21	(380/\$.ccls. and "mobile switching center") and (secure adj communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 11:00
-	14	((380/\$.ccls. and "mobile switching center") and (secure adj communication)) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:24
-	0	((380/\$.ccls. and "mobile switching center") and (secure adj communication)) and @ad < "20010105" and ("common key" or "symmetric key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:24
-	16	wireless with "common key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:24
-	4	(wireless with "common key") and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:40
-	0	"mobile switching center" with (generat\$3 near8 ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:54
-	42	((generat\$3 near8 ("common key" or "symmetric key")) near (provid\$3 or transmit\$3 or dispatch\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:55
-	23	((generat\$3 near8 ("common key" or "symmetric key")) near (provid\$3 or transmit\$3 or dispatch\$3)) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 12:56
-	4	(wireless with "common key") and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 14:40

-	1	((wireless with "common key") and @ad < "20010105") and (device\$ with receiv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 08:46
-	1467	generat\$3 near6 "session key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 08:47
-	697	(generat\$3 near6 "session key") and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 09:32
-	317	((generat\$3 near6 "session key") and @ad < "20010105") and ("session key" near6 (provid\$3 or send\$3 or transmit\$3 or dispatch\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 08:49
-	68	((generat\$3 near6 "session key") and @ad < "20010105") and ("session key" near6 (provid\$3 or send\$3 or transmit\$3 or dispatch\$3))) and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 08:50
-	9	((((generat\$3 near6 "session key") and @ad < "20010105") and ("session key" near6 (provid\$3 or send\$3 or transmit\$3 or dispatch\$3))) and wireless) and (("common key" or "symmetric key") with (encrypt\$4 or encypher\$3 or cipher\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 09:32
-	509	"root key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 09:32
-	277	"root key" and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:25
-	4	("root key" and @ad < "20010105") and ("root key" with "session key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:23
-	173	"session key" with ((encrypt\$ or encipher\$3 or cipher\$3) near8 ("common key" or "symmetric key"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:25
-	81	("session key" with ((encrypt\$ or encipher\$3 or cipher\$3) near8 ("common key" or "symmetric key"))) and @ad < "20010105"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:25